

- **Category Rally3: FIM Cross- Country Rallies World Cup, Moto Enduro**


- **Rally3**
- Moto-**Enduro** motorcycles; based on models from a manufacturer's catalogue only.
- Extra requirement for Moto Enduro: Normal on-board instruments and extra navigation equipment shall be fixed on the front fork, triple clamps or on a support fixed on the steering head. A protective screen to shield the instruments is permitted (& recommended)

Not permitted in Rally3



07.02 Extra requirement for **Category Rally3**:

Normal on-board instruments and extra navigation equipment shall be fixed on the front fork, triple clamps or on a support fixed on the steering head. A protective screen to shield the instruments is permitted (& recommended) **but it cannot follow the streamline of the fuel tank & radiator covers.** (see [Figure 1](#))



58.01 Engine capacity

World Championship, -Cup, Rally3 : 450cc category:
Single cylinder engines up to 450cc 2T or 4T (**2T only allowed in Rally3**)



58.04 Fuel tank(s)

For Rally3 Category, the total fuel capacity carried in the only tank allowed is 17 litres.

58.06 Speed Limitation

Rally3: Top speed is limited to 130km/h

Suspension :

Front fork and rear damper are free, can be replaced



-Big fairing
-2 fuel tanks
RALLY GP/2



-small fairing
-1 fuel tank
RALLY 3



-Big fairing
-2 fuel tanks
RALLY GP/2



-big fairing
-1 fuel tank
RALLY GP/2



-Prototype
-Big fairing
-2 fuel tanks
RALLY GP/2



-small fairing
-2 fuel tanks
RALLY GP/2